

Oct 16th A. D 1834

Ran the following lot of land in section No 2 T 9 R 1 E for George P. Vogle at being the N & E corner of said 1/4 of said section No 2. Beginning at the S.W. corner of said one fourth witness tree Beech 15 inches in diameter N 61° E 11 links distant Then N 6° W 80 Poles to a Stake witness Beech 10 inches in diameter S 42° E 32 links distant Then N 85° E 80 Poles to a Stake witness 6 gum 10 inches in diameter N 85° E 3 links distant S 86° E 80 Poles to a Stake witness Black oak 15 inches in diameter N 88° W 20 links distant Then S 82° W 80 Poles to the beginning

James W. Spencer
Monroe County Surveyor

N.B. Chain bearers Michael Gabbert and Jacob Davisher

J. W. S.

M. C. S.

Mr Vogle resides at Lawrenceburg Ind

Oct 17th A. D 1834

Ran for Michael Hener and David West the following line beginning at the S.W. corner of Section No 2 T 9 R 1 E to the Southern 1/2 mile post of the same length of said line 162 Poles witness trees made 81 Poles west of the Southern 1/2 mile post of said section Black oak 8 inches in diameter South 10° E 11 links distant Chain bearers Michael Gabbert and Jacob B Davisher by consent of parties

James W. Spencer
Monroe County Surveyor

Oct 18th A. D 1834

Ran the following lines and made the following corners in Section No 36 T 9 R 1 East for Frederic P. Triester of Lawrenceburg Ind Length of the line from the N.E. corner of said section to the N.W. corner of the same 813 Poles & 6 links New witness made at the northern 1/2 mile post of section 36 white oak 8 inches in diameter N 10° E 25 links distant Chestnut oak 20 inches in diameter N 30° E 12 links distant Witness trees made 78 Poles 20 1/2 links west of the northern 1/2 mile post Beech 18 inches in diameter N 89° E 16 1/2 links distant Witness trees made East 78 Poles & 15 1/2 links of N 1/2 mile post of section No 36 Chestnut oak 20 inches

in diameter N 31° E 6 links distant
 Witness tree made 78 Poles 15 1/2 links east of the center
 of Section No 36 Poplar 30 inches in diameter S 30° W
 29 links distant

Witness trees made at the center of section No 36
 White oak 20 inches in diameter N 26° W 21 links distant
 White oak 18 inches in diameter N 6° E 19 links distant
 Witness trees made at the Southern 1/2 mile post of Section
 No 36 White oak 22 inches in diameter S 48° W 13 links distant
 + White oak 12 inches in diameter S 20° E 12 links distant
 Witness made west of center of section 36 99 ft 18
 White oak 18 inches in diameter S 44° E 10 links distant
 Michael Galber and William Alexander chain bearers
 by consent of parties

James W. Spencer
 Monroe county sur

Oct 19th A D 1854

Ran the following lot for John
 Bakenholt of Lawrenceburg Ind in Section No
 one T 8 N R 1 E beginning at the Northern 1/2 mile
 post of said Section No 1 running thence S 85° W
 80 Poles to a Stake witness trees Sugar 15 inches
 in diameter N 30° E 10 links distant Then S 6° E
 229 Poles to a Stake witness tree White oak 18 inches in
 + diameter S 50° W 32 links distant Then N 85° E 160 Poles
 to a Stake witness Sugar 12 inches in diameter S 44° E
 20 links distant Thence N 6° W 229 Poles to a Stake
 Hickory 10 inches in diameter N 64° E 18 links distant Then
 S 35° W 80 Poles to the beginning containing 229 acres
 chain bearers Isaac S. Baskirk and William Alexander
 by consent of parties

James W. Spencer
 M C Surveyor

Oct 19th A D 1854

Ran the following lot of land in Section
 No 36 Township No nine north of Range No one East
 + for Jacob Lorde beginning at the Southern 1/2 mile post of
 said Section No 36 White oak 22 inches in diameter
 S 48° W 13 links distant W oak 12 inches in diameter
 S 20° E 12 links distant Then N 6° W 160 Poles to the
 center of said Section 36 Witness trees White oak
 20 inches in diameter N 26° W 21 links distant
 White oak 18 inches in diameter N 6° E 19 links distant

in diameter N 31° E 6 links distant
 Witness trees made 78 Poles 15½ links east of the center
 of Section No 36 Poplar 30 inches in diameter S 30° W
 29 links distant

Witness trees made at the center of section No 36
 White oak 20 inches in diameter N 26° W 21 links distant
 White oak 18 inches in diameter N 6° E 19 links distant
 Witness trees made at the Southern ½ mile post of Section
 No 36 White oak 22 inches in diameter S 48° W 13 links distant
 + White oak 12 inches in diameter S 20° E 12 links distant
 Witness made west of center of section 36 99 Poles
 White oak 18 inches in diameter S 44° E 10 links distant
 Michael Galber and William Alexander chain bearers
 by consent of parties

James W. Spencer
 Monroe county sur

Oct 19th A D 1854

Ran the following lot for John
 Bakenholt of Lawrenceburg Ind in Section No
 one T 8 N R 1 E beginning at the Northern ½ mile
 post of said Section No 1 running thence S 85° W
 80 Poles to a Stake witness trees Sugar 15 inches
 in diameter N 30° E 10 links distant Then S 6° E
 229 Poles to a Stake witness tree White oak 18 inches in
 + diameter S 50° W 32 links distant Then N 85° E 160 Poles
 to a Stake witness Sugar 12 inches in diameter S 44° E
 20 links distant Thence N 6° W 229 Poles to a Stake
 Hickory 10 inches in diameter N 64° E 18 links distant Then
 S 33° W 80 Poles to the beginning containing 229 acres
 chain bearers Isaac S. Baskirk and William Alexander
 by consent of parties

James W. Spencer
 M C Surveyor

Oct 19th A D 1854

Ran the following lot of land in Section
 No 36 Township No nine north of Range No one East
 + for Jacob Lorde beginning at the Southern ½ mile post of
 said Section No 36 White oak 22 inches in diameter
 S 48° W 13 links distant White oak 12 inches in diameter
 S 20° E 12 links distant Then N 6° W 160 Poles to the
 center of said Section 36 Witness trees White oak
 20 inches in diameter N 26° W 21 links distant
 White oak 18 inches in diameter N 6° E 19 links distant

Thence $S 83^{\circ} W$ 160 Poles to the western $\frac{1}{2}$ mile post of
 said section 36 Then with the section line $S 6^{\circ} E$ 160 Poles
 to the South west corner of said section 36 Then with the
 section line $N 85^{\circ} E$ 160 Poles to the beginning
 chainbearers Michael Gabbert and William Alexander by
 consent of parties

James W Spencer
 M C Surveyor

Oct 20th A D 1834

Ran the following line and made the
 following corners in section No 26 T 9 R 1 East for Henry
 Galy beginning at the South east corner of said
 section Thence with the section line $N 6^{\circ} W$ 80 Poles to
 a stake witness tree W oak 30 inches in diameter $S 63^{\circ}$
 E 52 links distant Then $S 85^{\circ} W$ 80 Poles to a stake
 witness tree Sugar 8 inches in diameter $S 37^{\circ} W$ 6 links distant

James W Spencer
 Monroe County Surveyor

Oct 20th A D 1834

Established the following corner
 at the NW corner of South west $\frac{1}{4}$ of $S E$ quarter
 of section No 26 T 9 R 1 E witness tree Beech 12
 inches in diameter $N 33^{\circ} W$ 29 links distant

James W Spencer
 Monroe County Surveyor

Nov 1st A D 1834

Ran the following lot of land for
 John Peterstoff beginning at the southern $\frac{1}{2}$ mile post of
 section No 19 T 8 R 1 East Thence $N 45^{\circ} W$ 80 Poles to a
 stake witness tree W oak 20 inches in diameter $S 46^{\circ}$
 E 5 links distant Thence $N 85^{\circ} W$ 80 Poles to a stake
 witness B oak 8 inches in diameter $S 39^{\circ} E$ 29 links
 distant Thence $N 6^{\circ} W$ 80 Poles to a stake witness
 tree white oak 24 inches in diameter $S 35^{\circ} W$ 31 links
 distant J asagras 4 inches in diameter $S 65^{\circ} E$ 12 links
 distant Then $S 88^{\circ} W$ 166 Poles to a stake witness trees
 white oak 30 inches in diameter $N 81^{\circ} W$ 61 links distant Thence
 $S 5^{\circ} E$ 160 Poles to a stake witness tree B gum 18 inches in
 diameter $N 34^{\circ} W$ 12 links distant Thence $N 88^{\circ} E$ 85 Poles to the place
 of beginning, chainbearers John B Maroney and Peter
 Adix by consent

James W Spencer
 M C S